

## Senses play »Handy«






## foundation plan check measurements on building site


because of crooked trees different measures are possible



# foundation detail without scale

minimum soil class III; check compression or make foundation bigger





### ASSEMBLING INSTRUCTION

## 7.150.3.25 Sensory Game "Mobile Phone" for children

#### Scope of delivery

Amount	Denomination	Measure
1	sound play	60 kg
Sum	approx.	60 kg

All weights are approximate. The heaviest component is highlighted in bold.

#### **Tools**

- spade, shovel, tape measure, spirit level
- socket wrench 17 / 19 mm, screwdriver with insert Torx Bit (TX 10-30)
- 2 persons (2 installers at 2 h)
- approx. concrete 0.15 m³ C 20/25

#### **Assembling**

- First, the playing surface (security area) should be measured, set the point (height) and the start point (sensory game) can be determined.
- Determine the foundation positions according to plan.
- Digging holes depending on the section for the play unit and depending on the ground conditions a drainage layer, for example gravel layer 10 cm in order to prevent stagnant moisture.
- Installation depths (cut, mark) on the post and/ or slide are to consider.
- Lift the sensory game into the prepared holes, to adjust by means of spirit level and make them solid.

#### Attention: if not adequately secured play towers or attachment parts may be tipping!

- After everything is assembled and aligned, the foundation according to the drawing can be properly completed.
- After 3-5 days of curing time, tightening all screw joints and which fill game surface again.
- Transportation braces and installation damage are to be removed after installation on site, grind and paint damaged areas.
- Notice: concrete needs about 28 days in order completely to harden.

#### Security guidelines

During assembly and transport on site, play towers and/or attachment parts must always be adequately secured, either through technology or through attached transportation bracing.

#### Preventive maintenance instructions

An operational check of the equipment must be carried out 2 weeks after installation. Here the main attention should be paid to tight screw joints and stability. In general the equipment should be checked on a regular basis. A visual routine inspection should be carried out on a weekly basis. An operative inspection should be performed every 1–3 months and the general or main inspection has to happen on an annual basis. We recommend to check stability of posts once a year and to expose foundations, let them dry and to repaint them also below ground level above the foundation with a solvent free glaze. (Further information concerning maintenance can be found in our Checklist for Maintenance/Inspection, in our General Maintenance Notes and also in our catalogues, as well as on our website www.sik-holz.de/en)

