

J869



Proludic





2 → 8

Proludic

N°		
①	0.6m	7.5m ²


— Zone d'impact
Impact area
Area de impacto
Fallraum
Valzone



Point de référence
Setting out point
Punto de referencia
Bezugspunkt
Referentiepunt


- - - Espace libre
Free space
Espacio libre
Freiraum
Vrije ruimte

EN1176-1:2017
EN1176-6:2017











LA000




MI0002






— Zone d'impact
 Impact area
 Area de impacto
 Fallraum
 Valzone

7.5m²




— Sol souple
Wetpour
Caucho continuo
Synthetischer fallschutz
Gietvloer

7.5m²





— Dalle béton
Concrete pad
Solera de hormigon
Beton bodenplatte
Betonnen bodemplaat

11.5m
8.5m²




— Sol fluent 12.5m
Loos partucule material
Arenero
Loses Bodenmaterial 9.5m²
Los bodemateriaal







2x
ET614GA




2x
ET612RC
2x
ET613RC




1x
FT803



1x
LG011B




1x
LG011A




1x
EHS888



1x
U855G





2x
MU903N




2x
LZ345

Réf	Qté
ET612RC	2
ET613RC	2
ET614GA	2
FT803	1
LA000	1
LG871	1
LZ380	2
M11	4
M10310N	18
M10440N	14
MI0002	1
MU903N	2
RD14M10	4
U855G	1
VCBHCM8x40I	1
VCBHCM10x40I	2
VEDM8	1
VEFM10	8
VR8x18	1
VTRCC10x30	2
VTRCC10x50	2










 x1	 1H	 x, xm ³
---	--	--



J869 A

ProLudic




 $> 1500 \text{ Kgs/M}^3$

 $< 1500 \text{ Kgs/M}^3$



J869

Proludic



LA000