



Product Service

# CERTIFICATE

No. Z2 16 01 10256 258

**Holder of Certificate:** **Berliner Seilfabrik GmbH & Co.**

Lengeder Straße 4  
13407 Berlin  
GERMANY



**Certification Mark:**



**Product:** **Playground equipment**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

**Test report no.:** 713075919-01

**Valid until:** 2021-01-19

**Date,** 2016-01-22  
Page 1 of 3

*Harald Bardowicks*  
( Harald Bardowicks )



**CERTIFICATE**

No. Z2 16 01 10256 258

**Model(s):**

91.200.010 Pentagode S, 91.200.020 Pentagode M,  
 91.200.030 Pentagode L, 91.200.040 Pentagode XL,  
 90.180.278 Pentagode S.01, 90.180.057 Pentagode M.01,  
 90.180.277 Pentagode XL.01, 90.180.125 Pentagode XL.02

**Parameters:**

Tubes: Steel posts; Ø 133 mm, wall thickness  
 5 mm, sandblasted and solvent-free, powder-coated  
 with the zinc/epoxy/polyester/burn-in-method  
 Ropes: U-Rope®- round strand rope with stranded  
 cores and rope cores made of galvanized steel wires.  
 Outer strands coated with texturised polyester yarn.  
 Netting: Rope crossing points, fixed aluminium parts  
 (joint-ferrule and cloverleaf rings).

91.200.010 Pentagode S  
 Dimensions (L x W x H): 8.4 x 8.4 x 4.0 m  
 Max. drop height: 0.93 m

91.200.020 Pentagode M  
 Dimensions (L x W x H): 10.5 x 10.0 x 5.1 m  
 Max. drop height: 0.92 m

91.200.030 Pentagode L  
 Dimensions (L x W x H): 12.7 x 12.0 x 6.1 m  
 Max. drop height: 1.1 m

Further Parameters see attachment.

**Tested  
according to:**

DIN EN 1176-1:2008  
 EN 1176-1:2008  
 DIN EN 1176-3:2008  
 EN 1176-3:2008  
 DIN EN 1176-11:2014  
 EN 1176-11:2014

**Production  
Facility(ies):**

10256

## Attachment to certificate No. Z2 16 01 10256 258



Product Service

91.200.040 Pentagode XL  
Dimensions (L x W x H): 14.9 x 14.2 x 7.2 m  
Max. drop height: 1.31 m

90.180.278 Pentagode S.01  
Dimensions (L x W x H): 19.1 x 15.6 x 4.0 m  
Max. drop height: 2.5 m

90.180.057 Pentagode M.01  
Dimensions (L x W x H): 17.2 x 10.5 x 5.1 m  
Max. drop height: 1.49 m

90.180.277 Pentagode XL.01  
Dimensions (L x W x H): 21.9 x 14.9 x 7.2 m  
Max. drop height: 1.84 m

90.180.125 Pentagode XL.02  
Dimensions (L x W x H): 34.8 x 20.6 x 8.8 m  
Max. drop height: 1.50 m