



**Product Family** : UFOs Net Structures  
**Product name** : UFO.M3  
**Item number** : 90.220.030  
**Children's age** : 3 +  
**Fall Height (EN1176)** : 1.93 m (6'-4")  
**Dimensions: Length, width, height** : 5.0 x 5.7 x 2.2 m (16'-2" x 18'-7" x 7'-0")  
**Protective Surfacing Area required (EN1176)** : 8.0 x 8.7 m  
**Protective Surfacing Area required (ASTM 1487)** : 8.6 x 9.4m (28'-2" x 30'-7")  
**Minimum space required** : **EN1176:** 52.2 m<sup>2</sup> / **ASTM 1487:** 61.2 m<sup>2</sup>  
**Number of foundations** : 6  
**Concrete Volume C20/25 (3.000 psi)** : 1.8 m<sup>3</sup>  
**Number of skilled installers required** : 2  
**Installation time without foundation** : 6 hours  
**Dimensions of largest part** : Ø 0.06 x 1.83 m  
**Weight of heaviest part** : 30 kg  
**Freight volume** : 3.7 m<sup>3</sup>  
**Gross weight** : 630 kg  
**Spare part guarantee** : Lifelong  
**Certificate according to EN 1176** No AL 05 05 10256 028 vom TÜV Product Service



Product description (on request also available as doc-file):

Net structure UFO.M3 with TÜV-certificate according to EN 1176 and a 10 year-warranty-certificate.  
Equipped with the Astem TT net tensioning system.

**Members:** **Frameworkx**-steel pipes, Ø 60.3 mm (2 3/8"); anticorrosion treatment and color finish: sandblasting and zinc-/ epoxy-/ polyester-process.  
**Nodes:** **Frameworkx**-aluminum ball connectors, Ø 250mm (9-13/16"); anticorrosion treatment and color finish: sandblasting and zinc-/ epoxy-/ polyester-process; incorporating an ASTEM TT net tensioning system, securely closed with durable ebonite caps.  
**Ropes:** **U-Rope**-round strand ropes with steel cores, Ø 16mm (5/8") with galvanized wires, external strands are covered with non-abrasive UV-resistant Polyester-yarn. Maximum breaking stress 115kN.  
**Spatial netting:** Rope crossing points are localized with durable, forged aluminum-alloy cloverleaf rings and forged aluminum-alloy ballknots (no plastic connections); in situ-replaceable rope strands (no special tools required).

Producer: Berliner Seilfabrik, Lengeder Str. 4, D-13407 Berlin Germany, Tel. +49 (0)30 / 41 47 24 - 0, Fax +49 (0)30 / 41 47 24 - 33