





Product Family	: Greenville Rope-play house
Product Name	: Boo.04
Item Number	: 90.280.004
Children's Age	: 5+
Fall Height (DIN EN 1176)	: 2,94 m (9'-8")
Dimensions: Length x Width x Height	: 3,07 x 2,93 x 3,93m (10'-1" x 9'-8" x 13'-0")
Protective Surfacing Area required DIN EN 1176	: 7,99 x 7,90m
Protective Surfacing Area required ASTM 1487/CSA	: 6,73 x 6,59m (22'-1" x 21'-8")
Protective Surfacing Area required AUSTRALIAN STANDARD	: -
Minimum space required DIN EN 1176	: 49,67m
Minimum space required ASTM 1487/CSA	: 34,77m ² (375sf)
Minimum space required AUSTRALIAN STANDARD	: -
Number of Foundations	: 5
Concrete Volume C20/C25	: 0,75m ³
Number of skilled installers required	: 3
Installation Time without foundation	: 12h
Dimensions of largest part	: 1,40 x 1,40 x 0,04m
Weight of heaviest part	: 40kg
Shipping Volume	: 6,0m ³
Gross weight	: 1200kg
Spare part guarantee	: Lifelong



Product description (also available as a doc-file upon request):

Two story Greenville Rope-play house Boo.04 with an sixteenfold suspended spatial net (rope diameter Ø18mm) and bamboo panel. Equipped with the AstemTT net tensioning system.



Tube framework:

A combination of straight and bended stainless steel Frameworkx-®tubes, \varnothing 60,3 mm (2 3/8"), material AISI304 (DIN 1.4301). The tubes are connected to build an oblated icosahedron space framework.

Nodes:

Frameworkx-aluminum ball connectors, \varnothing 250mm (9 13/16"); anti-corrosion treatment and color finish: sandblasting and solvent-free zinc-/ epoxy-/ polyester-process; incorporating an AstemTT net tensioning system, securely closed with durable EPDM-caps.

Ropes:

U-Rope®-round strand ropes with galvanized and covered wires, external strands with non-abrasive UV-resistant Polyester-yarn (no Polypropylene). Rope-diameter \varnothing 18mm (11/16").

Spacial Netting:

Rope crossing points are localized with durable, forged aluminum-alloy cloverleaf rings, joint-ferrule, connecting-clamps and barrel-ferrule (no plastic connections); in situ-replaceable rope strands.

Bamboo panel:

Bamboo strips 90mm, (3 1/2") mounted at a particle board made from polyethylene plastic 19mm (3/4") thickness, rounded edges, mounted with aluminium plate clamps to the tubes of the framework.