



PRODUCT INFORMATION Hokki_TY_EN - 08.12.2021 - www.vs-furniture.com

Hokki, Hokki+ Stool, height-adjustable stool.








Stool made from stable, durable and extremely scratch-resistant polypropylene, fully recyclable. Comes with a lightweight foam seat shell (grey) or optionally with an extra-soft padded artificial leather cover (black). Thermoplastic base screwed to the polypropylene body.

Chair sizes in 4 fixed heights as set out in DIN EN 1729, one additional extra-large size and two sizes with gas-spring height adjustment.

Function: Offers freedom of movement in controlled conditions thanks to curved surfaces that stimulate the entire musculo-skeletal system. Easy to carry thanks to ergonomically shaped, undulating seating edge that is easy to grip and also prevents the user from slipping off. The stools are easy to transport and can be moved together to save space. Height-adjustable models with all-round activation mechanism and ergonomic depth suspension.

The following material groups are available to choose from: Body made of plastic: C2.

		Seating heights (± 1 cm) as per DIN EN 1729 ● 2 = 31 cm ● 4 = 38 cm ● 5 = 43 cm ● 6 = 46 cm ● 7 = 51 cm				
Hokki	Fix			03825		
Hokki+	Lift				03813	03814
		Fixed height		2 4 6 7 62cm		
		Variable height adjustment			38-50 cm (4 5 6 7)	50-68 cm (7)
		Seat w cm			34,5	



MATERIAL (COLORS AND DECORS) Mat-C2_MG_EN - 18.11.2019 - www.vs-furniture.com

Plastics - Group: C2.

Plastic parts. Plastic is used for small parts, e.g. handles and end elements, but also for seat shells. Seat shells on LuPoGlide and LuPoTurn chairs and the Panton family are made from polypropylene. Polypropylene is a particularly impact- and scratch-resistant material. Various plastic colours are available to choose from.

C027 dark red, C029 dark blue, C030 light blue, C031 white, C032 orange, C033 light green, C034 green, C036 purple, C037 traffic red, C073 black grey (RAL 7021)

Warning: Printed and monitor representations of materials and colour samples may differ from the original and are not colour-accurate.



ENVIRONMENTAL PRODUCT INFORMATION (EPI) U03825_UP_EN - 15.12.2021 - www.vs-moebel.de

Hokki

Product description:

Design consisting of stable, tough and extremely scratch-resistant polypropylene, fully recyclable. With a foam-covered, lightweight grey seat pan. Black thermoplastic base screwed to the polypropylene body.

Human and Ecosystem Health:

The Hokki has been awarded the following certificates:



Lifecycle assessment:

Material composition	Total recycled material content		
Wooden mat.	0,00 kg	0,00 %	pre consumer 0,00 %
Steel	0,01 kg	0,70 %	post consumer 0,30 %
Aluminium	0,00 kg	0,00 %	
Plastic	1,86 kg	99,30 %	
Other	0,00 kg	0,00 %	
Total	1,87 kg	100,00 %	Total 0,30 %


Recycling capability:

100%

Due to the great variation between models we have chosen the representative model 03825, Hokki, height 46 cm, for the purposes of analysis. The packaging is not considered here because, as far as possible, we do without this. Reusable packing blankets made from 100% recycled materials are used to provide protection during transport.


*The Environmental Product Information (EPI) is a type II environmental label in accordance with the specifications set out in ISO 14021. It is a document which describes the environmentally-relevant impacts of the corresponding item of furniture across the entire product lifecycle.

Product lifecycle (material cycle):



Carbon footprint:

Global warming potential [kg CO₂-Eq]



Alongside many other environmental indicators, which are listed in the following table, we shall briefly mention the „carbon footprint“ here: Summary of the global warming potential (GWP) of fossil and biogenic energy sources/materials and the global warming potential of land use/change of land use. The value is presented in kg CO₂-equivalent. In the “Cradle-to-Gate” assessment, only the global warming potential of phases A1 to A3 (raw material extraction, transport and manufacturing) is considered.



Detailed results of the lifecycle assessment:

Environmental impacts	Unit	A1+A2+A3	A4	B6	C2+C3+C4	D
Climate Change <small>(Sum of lines 2, 3, 4)</small>	[kg CO ₂ eq.]	5,90E+00	7,03E-02	0,00E+00	5,91E+00	-2,87E+00
- Climate Change (fossil)	[kg CO ₂ eq.]	5,86E+00	7,00E-02	0,00E+00	5,91E+00	-2,86E+00
- Climate Change (biogenic)	[kg CO ₂ eq.]	3,64E-02	2,82E-05	0,00E+00	1,21E-04	-6,73E-03
- Climate Change (land use change)	[kg CO ₂ eq.]	6,74E-03	2,93E-04	0,00E+00	3,25E-04	-2,01E-03
Ozone depletion	[kg CFC-11 eq.]	7,57E-14	1,72E-17	0,00E+00	4,27E-16	-3,00E-14
Acidification terrestrial and freshwater	[Mole of H ⁺ eq.]	8,08E-03	6,47E-05	0,00E+00	6,46E-04	-4,03E-03
Eutrophication freshwater	[kg P eq.]	1,41E-05	1,52E-07	0,00E+00	2,12E-07	-3,71E-06
Eutrophication marine	[kg N eq.]	2,23E-03	2,00E-05	0,00E+00	1,42E-04	-1,04E-03
Eutrophication terrestrial	[Mole of N eq.]	2,34E-02	2,43E-04	0,00E+00	2,95E-03	-1,11E-02
Photochemical ozone formation - human health	[kg NMVOC eq.]	8,45E-03	5,32E-05	0,00E+00	4,16E-04	-2,99E-03
Resource use, mineral and metals	[kg Sb eq.]	1,31E-06	5,82E-09	0,00E+00	1,23E-08	-4,93E-07
Resource use, energy carriers	[MJ]	1,59E+02	9,30E-01	0,00E+00	1,64E+00	-4,85E+01
Water scarcity	[m ³ world equiv.]	8,35E-02	3,02E-04	0,00E+00	5,31E-01	-3,00E-01

Resource use	Unit	A1+A2+A3	A4	B6	C2+C3+C4	D
Use of renewable primary energy (PERE)	MJ	1,79E+01	5,42E-02	0,00E+00	1,88E-01	-1,06E+01
Primary energy resources used as raw materials (PERM)	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Total use of renewable primary energy resources (PERT)	MJ	1,79E+01	5,42E-02	0,00E+00	1,88E-01	-1,06E+01
Use of non-renewable primary energy (PENRE)	MJ	7,40E+01	9,30E-01	0,00E+00	8,64E+01	-4,85E+01
Non-renewable primary energy resources used as raw materials (PENRM)	MJ	8,48E+01	0,00E+00	0,00E+00	-8,48E+01	0,00E+00
Total use of non-renewable primary energy resources (PENRT)	MJ	1,59E+02	9,30E-01	0,00E+00	1,64E+00	-4,85E+01
Input of secondary material (SM)	MJ	6,69E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels (RSF)	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of non renewable secondary fuels (NRSF)	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of net fresh water (FW)	MJ	2,21E-02	4,85E-05	0,00E+00	1,25E-02	-1,24E-02

Output flows and waste categories	Unit	A1+A2+A3	A4	B6	C2+C3+C4	D
Hazardous waste disposed (HWD)	kg	8,78E-08	3,48E-08	0,00E+00	3,52E-08	-1,93E-08
Non-hazardous waste disposed (NHWD)	kg	5,03E-02	1,63E-04	0,00E+00	2,31E-02	-2,14E-02
Radioactive waste disposed (RWD)	kg	2,63E-03	9,79E-07	0,00E+00	4,21E-05	-3,64E-03
Components for re-use (CRU)	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for Recycling (MFR)	kg	0,00E+00	0,00E+00	0,00E+00	5,91E-03	0,00E+00
Material for Energy Recovery (MER)	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported electrical energy (EEE)	kg	0,00E+00	0,00E+00	0,00E+00	1,22E+01	0,00E+00
Exported thermal energy (EET)	kg	0,00E+00	0,00E+00	0,00E+00	2,17E+01	0,00E+00

Sustainability at VS:

Corporate principles:

VS considers the responsible use of the natural resources in the environment to constitute an important corporate principle. One of the main aims of the environmental policy at VS is to minimize environmental impacts at the production site and to be able to offer our customers products that are manufactured in a way that preserves the environment as much as possible. We at VS consider our obligation to the natural environment to include:

- the protection of the environment, our employees and our customers by preventing harmful influences during the manufacture, use and disposal of our products
- preventing or minimising emissions and waste
- minimizing the consumption of the natural resources water, ground and air
- being economical in our consumption of materials in all manufacturing sectors (recirculation)
- environmentally-oriented material selection and the modular design of VS products in order to facilitate recycling
- avoidance of unnecessarily long transport paths by preferring to work with suppliers in Germany and neighbouring countries
- ensuring that VS products are particularly long-lived through wide-ranging wear parts replacement capabilities by the VS Spare Parts Service
- option for a "second life" for furniture that is taken back and reworked and sold in the in-house factory sales area

Certification of our management systems:

Certification of our management systems in accordance with the specifications set out in DIN EN ISO 9001, DIN EN ISO 14001 and DIN EN ISO 50001 documents the high performance levels of our quality objectives, environmental protection measures and the measures taken to save energy and reduce CO₂ emissions.

VS has been committed to the principles of the Global Compact since September 2008. The principles of the United Nations regarding human rights, working conditions, the environment and the fight against corruption.



Conformity:

VS's products comply with the REACH regulation and are also RoHS-compliant: they do not contain any materials from Annex XIV (1907/2006/EC) or the SVHC candidate list exceeding the limit value of 1000 ppm. Electrical components have been registered by VS under WEEE reg. no. DE 45470288 or by our suppliers in accordance with the German law on electrical and electronic equipment.

Contribution to building certifications:

VS products can help achieve desired building certification in accordance with LEED, WELL, etc. Depending on the selected products, points can be acquired relating to criteria in the fields of recycling/waste elimination or non-toxic constituents/low emissions. Evidence of this can be seen in the form of certificates such as GREENGUARD GOLD or BIFMA e3 level.

Published by:

VS Vereinigte Spezialmöbelfabriken GmbH & Co. KG
Hochhäuser Straße 8 · D-97941 Tauberbischofsheim
Tel.: 09341 88-0 · sustainability@vs-moebel.de · www.vs.de

Disclaimer:

Because these are manufacturers' specifications, no liability is accepted! The results of the lifecycle assessments have not been verified.

